DEP1

CONSTRUCTION

AND

CONTRACTION

JOINTS

SHEET 2 OF 2

700.01

ENGLISH S

PAVEMENT

JOINTS

STANDARD

DRAWING

TIE BAR @ 12" CENTERS EMERGENCY TRANSVERSE CONSTRUCTION JOINT

GENERAL NOTES:

- -CONSTRUCT TRANSVERSE CONSTRUCTION JOINTS AT THE END OF EACH DAY'S OPERATION (PLANNED JOINT) OR WHEN THE PLACING OF CONCRETE IS SUSPENDED FOR MORE THAN 30 MINUTES (EMERGENCY JOINT).
- USE AN APPROVED HEADER AT EMERGENCY JOINTS STD. DWG. 700.04 AND DESIGNED TO PERMIT THE PLACEMENT OF AND CORRECTLY HOLD IN PLACE TIE BARS.
- -USE TIE BARS OF THE SAME DIAMETER AS DOWEL BARS FOR EMERGENCY TRANSVERSE CONSTRUCTION JOINTS.
- -LOCATE PLANNED TRANSVERSE CONSTRUCTION JOINTS AT THE SPACING REQUIRED FOR CONTRACTION JOINTS. USE AN APPROVED METHOD OF INSTALLING DOWELS IN ALL PLANNED TRANSVERSE CONSTRUCTION JOINTS.
- -DO NOT LOCATE EMERGENCY TRANSVERSE CONSTRUCTION JOINTS LESS THAN 6' FROM ANY CONTRACTION JOINT OR PLANNED CONSTRUCTION JOINT.
 -DO NOT PLACE TIE BARS IN LONGITUDINAL JOINTS WITHIN 1'-4" OF
- A TRANSVERSE JOINT.
 -SEAL ALL JOINTS WITH RUBBER ASPHALT JOINT SEALER IN THE PRESENCE OF THE ENGINEER.




TABLE II - LONGITUDINAL TIE BARS		
SLAB THICKNESS	TIE BAR DIA. "D"	TIE BAR LENGTH "L"
8½" OR LESS	1⁄2"	30"
9" OR ABOVE	5⁄8″	30"

SHEET 2 OF 2

JOINTS

CONTRACTION

AND

CONSTRUCTION

STANDARD DRAWING

PAVEMENT

CONCRETE

ENGLISH

700.01